

# ETCR9000B

## 60kV H/L VOLTAGE CLAMP METER



- Designed for safe AC current measurement of high-voltage circuit below 69kV, also used as a low-voltage clamp meter
- Easy operation of clamp ammeter by pressing or pulling back insulation rods
- **With wireless receiver**, transmission of test data up to 30 meters
- Insulation rods of moisture, impact, bending and high temperature resistance
- Online AC current monitoring
- 4 digits LCD display with backlit
- **Data logging**: memories for 99 measures
- Data hold and peak hold
- Auto power-off (15 minutes)
- Widely used in power plant, substation, etc. for electric inspection and maintenance

### Technical specifications

Measuring range: 0.0mA~1000A (50/60Hz)

Resolution: 0.1mA

Accuracy:  $\pm 1.0\% \sim \pm 4.0\%$

Line voltage test: <60kV

(operated with 5 insulation rods)

Sampling rate: 2 times /s

Clamp size:  $\Phi 48\text{mm}$

Dimensions: 76×255×31mm / 75×170×30mm

Weight: 575g(meters) / 2.5kgs (including rods)

Battery: 1.5V×8, AAA size, Alkaline

Accessories: metal carrying case,

insulation rod  $\Phi 32\text{mm} \times 1\text{m} \times 5\text{pcs}$

REF: 039000B0000

☑ CE (EMC), ☐ UL, ☐ CE (LVD)

**inometer**